



**TOTAL**  
Oil Rig Leasing Ltd.

<b>550HP Workover Rig</b>				
No.	Qty	Unit	Description	Specs
—	1	Set	Main rig, including :	
1	1	Set	power system	
2	1	Set	engine	CAT C15/540hp
3	1	Set	transmission	Allison M5620AR
4	1	Set	transfer case	
5	1	Set	chassis	Chassis (10X8 ; 5 axles )
6	1	Set	right angle gear box	
7	1	Set	drawworks (single drum), with 22" SR hydromatic brake,crown block saver,3m3 water tank on rig	550hp
8	1	Set	drive system,including driving system for chassis,drawworks and rotary table	<b>Forward &amp; reverse rotation gearbox Z06110000026AA,5 drive</b>
9	1	Set	Mast,rectangular tube,single cylinder raising,telescoping,with racking board,with tong balance device,sling for DP TONG	Clear height(to floor):29m, double section Max. static load : 1200kN
10	1	Set	Hydraulic system (including one 3t hydraulic winch) ; tong cylinder : 1800mm × 80kN × 1+1200mm × 80kN × 1)	
11	1	Set	air system	WP:0.75-0.85MPa, Volume of main air tank:0.35m3
12	1	Set	electric system	
—	1	Set	other accessories	
13	1	Set	traveling block	YG150
14	1	Set	elevator link	DH150
15	1	Set	swivels	SL120
16	1	Set	3" rotary hose	3", 13m, 35MPa
17	1	Set	3" stand pipe	3" , 35MPa



## Oil Rig Leasing Ltd.

18	1	Set	ZP175 rotary table	ZP175
19	1	Set	Square drive Roller Kelly bushing for 4 1/4" size	4-1/4"
20	1	Set	substructure:with two stairs,one DP ramp,one escaping slideway	Integral substructure Model: DZ120/3-X Floor height:3m Floor area: 5.04 × 5m
21	1	Set	Rate hole 12"	length: 11m
22	1	Set	Mouse hole 9 1/2"	length: 10m
23	1	Set	drill line	φ 26mm x1000 m
24	1	Set	wire rope for 3T hydraulic winch	100 m
25	1	Set	slideway(no catwalks & pipe rack)	
26	1	Set	DP tong ( model ZQ50)	Applicable range 2 7/8" ~ 5"
27	1	付 pairs	B type manual tong B( Q86~432 x 90 ) , with (3-3/8" ~ 8-1/2")@90KN.m; with (8-1/2" ~ 17" )@55KN.m;	
28	1	Set	lifting spreader	
29	1	Set	deadline anchor JZG18A	JZG18A
30	1	Set	spare tyre (1 set)	445/65R22.5,12-20 1
31	2	Set	protective sleeve for raising cylinder	
32	各1	Set	slips	3 1/2" DP, 5" DP, 6 1/2 " DC, 8 1/4" DC, one/each
33	各1	Set	elevators	3 1/2" DP, 5" DP, one/each
34	各2	Set	lifting sub	5 " , 4 1/2" IF, 6 5/8" REG 2
35	1	Set	safety clamp	4 1/2" --10 3/4"
36	1	Set	chain tong	
37	1	Set	pipe tong	

# TOTAL

## Oil Rig Leasing Ltd.

38	1	Set	mechanical casing stabbing board	
39	1	Set	Anti-falling device	GJ-30
40	1	Set	Escape device	RG10D
41	1	Set	four parameter instrument,1 set	Model: SZJ, Mechanical type, displaying hook load (weight indicator), rotary torque, rotary speed, stand pipe pressure
42	1	Set	square kelly	4-1/4", length: 36ft (11m) , upper type:6-5/8"REG LH, lower type:NC50; API spec 7
43	1	Set	Lower Kelly kock	4 1/2" IF ( NC 50) connection
44	1	Set		For 13-3/8" casings
45	1	Set	spare parts	
46	1	Set	tools	
47	1	Set	<b>Assembling,commissioning and painting</b>	



# TOTAL

**Oil Rig Leasing Ltd.**



# TOTAL

**Oil Rig Leasing Ltd.**



# TOTAL

**Oil Rig Leasing Ltd.**

